



# Soybean cyst nematode-resistant soybean varieties for Iowa

Prepared by Gregory L. Tylka and Mark P. Mullaney  
Department of Plant Pathology and Microbiology


**S**oybean cyst nematode (SCN) is widespread in Iowa. The nematode reproduces quickly (completes several life cycles or generations per season), survives in the soil for 10 years or more in the absence of a soybean crop, and can cause substantial yield losses, particularly in dry years.

Resistance is very effective for managing SCN. The results in the table below illustrate how SCN-resistant varieties maintain acceptable yields and keep SCN populations in check. The data are average yields and end-of-season SCN population

densities from two locations of the Iowa State University (ISU) SCN-resistant Soybean Variety Trial Program in which more than 45 resistant and 4 susceptible varieties were grown. On average, the SCN-resistant soybean varieties yielded 5 to 15 bushels per acre more than the susceptible varieties in the variety trial experiments. In addition to yielding more, the resistant varieties kept the SCN population densities from increasing, but the susceptible varieties allowed the SCN populations to increase to 11,000–20,000 eggs per 100 cc of soil at harvest.

Variety trial location	Yield (bushels per acre)		End-of-year SCN population densities (eggs per 100 cc soil)	
	SCN-resistant	SCN-susceptible	SCN-resistant	SCN-susceptible
Churdan, IA	55.7	40.5	2,460	19,594
Melrose, IA	52.1	46.8	1,762	11,444

The number of soybean varieties with genetic resistance to SCN available in maturity groups O, I, II, and III has increased dramatically since the early 1990s (Figure 1). Today, most soybean seed companies have SCN-resistant soybean varieties available for Iowa farmers. Most of the SCN-resistant varieties are resistant to glyphosate, and several varieties possess LibertyLink® herbicide resistance.




**Figure 1. Number of maturity group O, I, II, and III SCN-resistant soybean varieties available to Iowa soybean farmers, 1991–2014** (data unavailable for 1992, 2005, and 2009).


## What should one consider when choosing an SCN-resistant variety?

**Yield Potential:** The most important characteristic of SCN-resistant soybean varieties is yield potential in SCN-infested fields. The yield of SCN-resistant varieties can vary greatly and cannot be predicted by yield performance in noninfested fields. Consequently, many SCN-resistant soybean varieties are evaluated each year in the ISU SCN-resistant Soybean Variety Trial Program. The results of these variety trials are published annually in ISU Extension publication IPM 52, which can be obtained by calling the ISU Department of Plant Pathology and Microbiology (515-294-1741) and on the Internet at [www.isuscntrials.info](http://www.isuscntrials.info). Iowa soybean farmers are encouraged to consult this publication for guidance on the relative performance of SCN-resistant soybean varieties. However, the variety trial data are from a limited number of locations and should be used only as a beginning point for developing an SCN management program for any specific field. The performance of individual SCN-resistant soybean varieties will vary among locations and years, so farmers are encouraged to evaluate several SCN-resistant soybean varieties at their own locations to determine the best varieties for their local conditions.

**Effect on SCN Population Densities:** In addition to yield, farmers must consider the effectiveness of the varieties in suppressing reproduction of the nematode. SCN populations may not be kept in check despite high yields because SCN-resistant varieties (even high-yielding varieties) can vary considerably in how well they control population densities. For example, the yields of the top three conventional (non-Roundup Ready®) soybean varieties that were evaluated in the north-central Iowa location of the ISU SCN-resistant Soybean Variety Trial Program in 2001 are shown in Figure 2 below. Note that there is no significant difference among the yield of these three varieties. However, one of the varieties did not control the nematode as well as the other two, as illustrated by the end-of-season SCN egg population densities (shown in Figure 3). Such a large difference in nematode control among high-yielding soybean varieties is not rare. Consequently, farmers should consider how



**Figure 2. Yield of the three best-yielding conventional (non-Roundup Ready®) soybean varieties, designated A, B, and C, in a north-central Iowa variety trial location. The least-significant-difference value ( $P = 0.05$ ) was 4.9.**



**Figure 3. End-of-season SCN egg population densities in plots of the three best-yielding conventional (non-Roundup Ready®) soybean varieties, designated A, B, and C, in a north-central Iowa variety trial location. The least-significant-difference value ( $P = 0.05$ ) was 5,430.**

SCN-resistant soybean varieties affect SCN population densities in addition to how well they yield in order to ensure maximum soybean productivity of their land for years to come.

**Other Defensive Traits:** SCN population densities tend to be greater as soil pH increases from 5.5 to 8.0, and iron deficiency chlorosis can be a problem once soil pH rises above 7.4 or so. Soybean varieties vary in their sensitivity to high pH soils and iron deficiency chlorosis. Because high population densities of SCN frequently occur in high pH soils, many farmers need SCN-resistant soybean varieties that also have good tolerance to iron deficiency chlorosis. Iron deficiency chlorosis tolerance scores are provided for most of the SCN-resistant varieties listed in this publication. Minimizing the effects of iron chlorosis will reduce the overall stress of the soybean crop, thus also reducing the yield-reducing effect of SCN.

SCN is not the only soybean pathogen that occurs in Iowa soybean fields. Other common soybean diseases in Iowa include brown stem rot, Phytophthora stem and root rot, sudden death syndrome, and white mold. Consequently, a soybean variety with multiple disease resistance is often needed. And some diseases, such as brown stem rot and sudden death syndrome, are made more severe by SCN. Farmers must observe their soybean fields for the presence of all common soybean diseases and then decide which of the diseases cause the most severe and consistent yield loss from year to year. SCN is among the most damaging and persistent soybean pathogens that occur in the state.

#### **Should farmers attempt to manage the different types or sources of SCN resistance that are used?**

Currently, there are two main genetic sources for SCN resistance genes in commercial soybean varieties, namely PI88788 and Peking. Each of these sources of SCN resistance contains several genes that confer resistance to the nematode. Consequently, soybean varieties developed from the various sources of resistance may not all contain the same genes in the same combinations.

All sources of SCN resistance allow limited reproduction of only a few nematodes, and limited reproduction by a few nematodes on a resistant soybean variety does not pose a problem in a single growing season. However, if soybean varieties containing the same source of resistance are grown repeatedly for many years, a population of nematodes that readily feeds on that source of resistance may build up. Thus, use of resistant soybean varieties, particularly any single SCN-resistant variety, should not be considered the sole solution for managing SCN. Reports of Iowa SCN populations able to reproduce well on SCN-resistant soybean varieties with the PI88788 source of resistance have increased dramatically in the past several years. This may be a consequence of using resistant varieties with the PI88788 source of resistance numerous times in the past several years. Unfortunately, most of the SCN-resistant soybean

varieties included in this publication have PI88788 as a source of resistance.

Iowa State University recommends growing nonhost crops, such as corn, in conjunction with soybean varieties with different sources of resistance in a crop rotation scheme to discourage the buildup of nematode populations that reproduce readily on resistant soybean varieties. If farmers cannot grow soybean varieties with different sources of SCN resistance in successive soybean crops, they should try to grow different SCN-resistant varieties derived from the common source of SCN resistance, PI88788 (Figure 4).

### When should farmers begin to use resistant soybean varieties for management of SCN?

Iowa State University recommends that SCN-resistant soybean varieties be grown in fields with low or moderate SCN population densities, even fields with very low levels of the nematode. The reason for growing SCN-resistant soybeans in fields with low population densities is that the nematode can reduce soybean yields significantly at low population densities under hot, dry weather conditions. Furthermore, ISU SCN-resistant Soybean Variety Trial Program data show that many currently available SCN-resistant soybean varieties have high yield potential even when grown in fields with low population densities of the nematode. So there's not much of an economic risk in using

an SCN-resistant soybean variety in a field with low population densities of the nematode. Using SCN-resistant soybean varieties immediately once an infestation is discovered will stop the increase in SCN population densities and allow for greater success at implementing the recommended crop rotation scheme (Figure 4).

The list on the following pages is a compilation of soybean varieties in maturity groups O, I, II, and III that are marketed as having resistance to SCN. The resistance ratings reported here were provided by the seed companies offering these varieties for sale. Iowa State University has not verified the resistance claims. Different seed companies may use different criteria and have data from different locations, so it is not recommended to use these ratings for comparisons between companies. Keep in mind that companies may not use the same standards to develop these ratings.

Attempts were made to include only pure varieties, not blends, in this publication. Only sources of SCN resistance described in the scientific literature are provided, not trade names for resistance traits. When iron chlorosis tolerance scores or the specific source of SCN resistance were not provided or not available, "Not Given" was indicated in the tables.

Varieties are listed by maturity group and brand.




Figure 4. Recommended crop rotation for fields with *low or moderate SCN population densities*.

**Table 1. Soybean cyst nematode-resistant soybean varieties for maturity group 0 and maturity group I.**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Albert Lea Seed House, 1414 W. Main, P.O. Box 127, Albert Lea, MN 56007, 800-352-5247, www.alseed.com</b>						
Viking	0878R2N	0.8	Y	N	2.3	PI88788
Viking	1234R2N	1.2	Y	N	2.4	PI88788
Viking	L142N	1.4	N	Y	1.9	PI88788
Viking	1522R2N	1.5	Y	N	2.1	PI88788
Viking	1707R2N	1.7	Y	N	2.0	PI88788
Viking	L188N	1.8	N	Y	2.2	PI88788
Viking	1909R2N	1.9	Y	N	2.3	PI88788
<b>Champion Seed, 3069 330th Street, Ellsworth, IA 50075, 888-417-2004, www.championseedofiowa.com</b>						
Champion Seed	19R72N	1.9	Y	N	1.5	PI88788
Champion Seed	19L15N	1.9	N	Y	2.0	PI88788
<b>Channel, 800 N. Lindbergh Boulevard, St. Louis, MO 63167, www.channel.com</b>						
Channel	1808R2	1.8	Y	N	2.0	PI88788
Channel	1901R2	1.9	Y	N	2.0	PI88788
<b>CROPLAN by WinField™, 1080 Country Road F West, Shoreview, MN 55126, 651-494-5208, www.croplan.com</b>						
CROPLAN®	R2C1750	1.8	Y	N	2.0	PI88788
CROPLAN®	R2C1873	1.8	Y	N	3.0	PI88788
CROPLAN®	R2C1869	1.8	Y	N	3.0	PI88788
CROPLAN®	R2C1994	1.9	Y	N	3.0	PI88788
<b>Cornelius Seed, 14760 317th Avenue, Bellevue, IA 52031, 563-672-3463, www.corneliusseed.com</b>						
Cornelius	CB18R52	1.8	Y	N	4.0	PI88788
Cornelius	CB19R86	1.9	Y	N	4.0	PI88788
<b>Curry, 701 North Walnut, P.O. Box 517, Elk Point, SD 57025, 888-287-7973, www.curryseed.com</b>						
Curry	1061	0.6	Y	N	2.0	Peking
Curry	1103	1.0	Y	N	2.0	PI88788
Curry	1143	1.4	Y	N	2.0	PI88788
Curry	1147	1.4	Y	N	4.0	PI88788
Curry	1167	1.6	Y	N	4.0	PI88788
Curry	1178	1.7	Y	N	3.0	PI88788
Curry	1187	1.8	Y	N	3.0	PI88788
<b>Dairyland Seed Co., P.O. Box 958, West Bend, WI 53095, 800-236-0163, www.dairylandseed.com</b>						
Dairyland	DSR-1515/R2Y	1.5	Y	N	2.4	PI88788
Dairyland	DSR-1710/R2Y	1.7	Y	N	2.0	PI88788
Dairyland	DSR-1808/R2Y	1.8	Y	N	2.9	PI88788
<b>Federal Hybrids, Inc., P.O. Box 17, 209 3rd Street NE, West Bend, IA 50597, 515-887-5888, www.federalhybrids.com</b>						
Federal Hybrids	F084NRR2Y	0.8	Y	N	2.2	PI88788
Federal Hybrids	F115NRR2Y	1.1	Y	N	1.6	PI88788
Federal Hybrids	F124NRR2Y	1.2	Y	N	2.3	PI88788
Federal Hybrids	F143RR2Y	1.4	Y	N	1.6	PI88788
Federal Hybrids	F145NRR2Y	1.4	Y	N	2.2	PI88788
Federal Hybrids	F154NRR2Y	1.5	Y	N	2.1	PI88788
Federal Hybrids	F175NRR2Y	1.7	Y	N	2.2	PI88788
Federal Hybrids	F183NRR2Y	1.8	Y	N	2.4	PI88788
Federal Hybrids	F185NRR2Y	1.8	Y	N	2.1	PI88788

**Table 1. Soybean cyst nematode-resistant soybean varieties for maturity group 0 and maturity group I (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Great Lakes Hybrids, 9915 W M-21 Highway, Ovid, MI 48866, 989-834-2251, www.greatlakeshybrids.com</b>						
Great Lakes Hybrids	1829R2	1.8	Y	N	2.1	PI88788
Great Lakes Hybrids	1929R2	1.9	Y	N	2.3	PI88788
<b>GROWMARK, Inc., 1701 Towanda Avenue, Bloomington, IL 61702, 309-557-6399, www.fsseed.com</b>						
FS HiSOY®	HS 19A42	1.9	Y	N	2.5	PI88788
<b>Hoegemeyer Hybrids, 1755 Hoegemeyer Road, Hooper, NE 68031, 402-720-9385, www.therightseed.com</b>						
Hoegemeyer HPT	1740NRR	1.7	Y	N	2.0	PI88788
<b>Iowa State University, Office of Intellectual Property and Technology Transfer, 310 Lab of Mechanics, Ames, IA 50011-2131, 515-294-9442</b>						
ISU	IA1008	1.0	N	N	Not Given	PI88788
ISU	IA1008LF	1.0	N	N	Not Given	PI88788
ISU	IA1022	1.0	N	N	Not Given	PI88788
ISU	IA1026	1.0	N	N	Not Given	PI88788
<b>Kruger Seeds, P.O. Box A, Dike, IA 50624, 800-772-2721, www.krugerseed.com</b>						
Kruger	K2-1502	1.5	Y	N	3.0	PI88788
Kruger	K2-1801	1.8	Y	N	2.5	PI88788
Kruger	K2-1901	1.9	Y	N	2.5	PI88788
Kruger	K2-1902	1.9	Y	N	2.0	PI88788
<b>Kussmaul Seed Co., 9020 Highway 18, Mt. Hope, WI 53816, 608-988-4568, www.kussmaulseeds.com</b>						
Kussmaul Seeds	KS-2805RR	0.5	Y	N	1.9	PI88788
Kussmaul Seeds	KS-2812RR	1.2	Y	N	2.5	PI88788
Kussmaul Seeds	KS-2815RR	1.5	Y	N	2.4	PI88788
<b>Latham Hi-Tech Seeds, 131 180th Street, Alexander, IA 50420, 800-798-3258, www.lathamseeds.com</b>						
LATHAM	L0485R2	0.4	Y	N	2.2	PI88788
LATHAM	L0648R2	0.6	Y	N	2.0	PI88788
LATHAM	L0838R2	0.8	Y	N	1.8	PI88788
LATHAM	L0982R2	0.9	Y	N	2.2	PI88788
LATHAM	L1084R2	1.0	Y	N	1.9	PI88788
LATHAM	L1328L	1.3	N	Y	1.6	PI88788
LATHAM	L1383R2	1.3	Y	N	1.7	PI88788
LATHAM	L1538R2	1.5	Y	N	1.5	PI88788
LATHAM	L1785R2	1.7	Y	N	2.0	PI88788
LATHAM	L1858R2	1.8	Y	N	3.0	PI88788
LATHAM	L1848L	1.8	N	Y	2.1	PI88788
LATHAM	L1968R2	1.9	Y	N	2.0	PI88788
LATHAM	L1985R2	1.9	Y	N	2.0	PI88788

**Table 1. Soybean cyst nematode-resistant soybean varieties for maturity group 0 and maturity group I (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Legend Seeds, 103 Highway 14, DeSmet, SD 57231, 800-678-3346, <a href="http://www.legendseeds.net">www.legendseeds.net</a></b>						
Legend Seeds	LS 007R550N	0.07	Y	N	2.0	PI88788
Legend Seeds	LS 0522LLN	0.5	N	Y	1.7	PI88788
Legend Seeds	LS 06R565N	0.6	Y	N	2.0	PI88788
Legend Seeds	LS 06R24N	0.6	Y	N	1.9	PI88788
Legend Seeds	LS 08R22N	0.8	Y	N	2.1	PI88788
Legend Seeds	LS 09R23N	0.9	Y	N	1.7	PI88788
Legend Seeds	LS 10R551N	1.0	Y	N	1.7	PI88788
Legend Seeds	LS 1172LLN	1.1	N	Y	1.5	PI88788
Legend Seeds	LS 12R24N	1.2	Y	N	2.1	PI88788
Legend Seeds	LS 13R556N	1.3	Y	N	1.5	PI88788
Legend Seeds	LS 1353LLN	1.3	N	Y	1.6	PI88788
Legend Seeds	LS 14R22N	1.4	Y	N	2.0	PI88788
Legend Seeds	LS 1532LLN	1.5	N	Y	2.0	PI88788
Legend Seeds	LS 15R21	1.5	Y	N	2.8	PI88788
Legend Seeds	LS 17R500N	1.7	Y	N	2.1	PI88788
Legend Seeds	LS 17R23N	1.7	Y	N	2.2	PI88788
Legend Seeds	LS 1830LLN	1.8	N	Y	2.2	PI88788
Legend Seeds	LS18R24N	1.8	Y	N	2.3	PI88788
Legend Seeds	LS 19R21N	1.9	Y	N	2.2	PI88788
<b>LG Seeds, 22827 Shissler Road, Elmwood, IL 61529, 800-752-6847, <a href="http://www.lgseeds.com">www.lgseeds.com</a></b>						
LG Seeds	C0618R2	0.6	Y	N	2.0	PI88788
LG Seeds	C0911R2	0.9	Y	N	2.3	PI88788
LG Seeds	C1175R2	1.1	Y	N	2.3	PI88788
LG Seeds	C1370R2	1.3	Y	N	2.2	PI88788
LG Seeds	C1530R2	1.5	Y	N	1.8	PI88788
LG Seeds	C1899R2	1.8	Y	N	2.3	PI88788
LG Seeds	C1917R2	1.9	Y	N	2.3	PI88788
<b>Monsanto Company, 800 N. Lindbergh Boulevard, St. Louis, MO 63167, <a href="http://www.ASGROW.com">www.ASGROW.com</a> or <a href="http://www.monsanto.com">www.monsanto.com</a></b>						
Asgrow	AG1431	1.4	Y	N	2.0	PI88788
Asgrow	AG1435	1.4	Y	N	2.0	PI88788
Asgrow	AG1733	1.7	Y	N	1.0	PI88788
Asgrow	AG1832	1.8	Y	N	2.0	PI88788
Asgrow	AG1835	1.8	Y	N	2.0	PI88788
Asgrow	AG1935	1.9	Y	N	2.0	PI88788
<b>Munson Hybrids, Inc., 1262 Knox Road 100 E, Galesburg, IL 61401, 309-343-8410, <a href="http://www.munsonhybrids.com">www.munsonhybrids.com</a></b>						
Munson Hybrids, Inc.	8195R2Y	1.9	Y	N	1.9	PI88788
<b>Mycogen Seeds, 9330 Zionsville Road, Indianapolis, IN 46268, 800-692-6436, <a href="http://www.mycogen.com">www.mycogen.com</a></b>						
Mycogen	5N180R2	1.8	Y	N	1.5	PI88788
Mycogen	5N182R2	1.8	Y	N	2.0	PI88788
<b>NorthStar Genetics, 217 Main Street, Wanamingo, MN 55983, 507-824-2878, <a href="http://www.northstargenetics.com">www.northstargenetics.com</a></b>						
NorthStar Genetics	NS 0328NLL	0.3	N	Y	1.8	PI88788
NorthStar Genetics	NS 0567NLL	0.5	N	Y	1.8	PI88788
NorthStar Genetics	NS 1128NLL	1.0	N	Y	1.8	PI88788
NorthStar Genetics	NS 1040NR2	1.0	Y	N	1.7	PI88788
NorthStar Genetics	NS 1249NR2	1.2	Y	N	2.4	PI88788
NorthStar Genetics	NS 1388NR2	1.3	Y	N	2.1	PI88788
NorthStar Genetics	NS 1390NR2	1.3	Y	N	2.2	PI88788
NorthStar Genetics	NS 1500NR2	1.5	Y	N	1.7	PI88788
NorthStar Genetics	NS 1528NRR	1.5	Y	N	2.1	PI88788
NorthStar Genetics	NS 1726NR2	1.7	Y	N	1.7	PI88788
NorthStar Genetics	NS 1800NR2	1.8	Y	N	2.1	PI88788
NorthStar Genetics	NS 1916NR2	1.9	Y	N	2.4	PI88788

**Table 1. Soybean cyst nematode-resistant soybean varieties for maturity group 0 and maturity group I (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>NuTech Seed LLC, 2321 North Loop Drive, Suite 230, Ames, IA 50010, 800-942-6748, www.yieldleader.com</b>						
NuTech/G2 Genetics	7063	0.6	Y	N	2.0	Peking
NuTech/G2 Genetics	7110	1.0	Y	N	1.0	Peking
NuTech	3103L	1.0	N	Y	2.0	PI88788
NuTech/G2 Genetics	7171	1.7	Y	N	2.5	PI88788
NuTech/G2 Genetics	7186	1.7	Y	N	3.0	Peking
NuTech/G2 Genetics	7183	1.8	Y	N	2.5	PI88788
NuTech	3181L	1.8	N	Y	2.5	PI88788
<b>Pfister Seeds LLC, 201 Knollwood, Suite A, Champaign, IL 61820, 800-647-3478, www.pfisterseeds.com</b>						
Pfister	15R28	1.5	Y	N	4.0	PI88788
Pfister	17R28	1.7	Y	N	4.0	PI88788
Pfister	19R24	1.9	Y	N	4.0	PI88788
<b>Pioneer Hi-Bred, 9131 Northpark Drive, Johnston, IA 50131, www.pioneer.com</b>						
Pioneer	91Y80	1.8	Y	N	Not Given	PI88788
Pioneer	P19T01R	1.9	Y	N	Not Given	PI88788
<b>Prairie Brand Seed, 11261 U.S. Highway 69, Story City, IA 50248, 515-733-2101, www.prairiebrandseed.com</b>						
Prairie Brand	PB-00766R2	0.07	Y	N	2.0	PI88788
Prairie Brand	PB-00844R2	0.08	Y	N	1.8	PI88788
Prairie Brand	PB-0598R2	0.5	Y	N	1.9	PI88788
Prairie Brand	PB-0609R2	0.6	Y	N	2.5	PI88788
Prairie Brand	PB-0777R2	0.7	Y	N	2.4	PI88788
Prairie Brand	PB-0863R2	0.8	Y	N	2.6	PI88788
Prairie Brand	PB-0879NRR2	1.0	Y	N	2.5	PI88788
Prairie Brand	PB-1147R2	1.1	Y	N	1.6	PI88788
Prairie Brand	PB-1234R2	1.2	Y	N	2.5	PI88788
Prairie Brand	PB-1466R2	1.4	Y	N	2.1	PI88788
Prairie Brand	PB-1566R2	1.6	Y	N	2.1	PI88788
Prairie Brand	PB-1747R2	1.7	Y	N	3.0	PI88788
Prairie Brand	PB-1794R2	1.7	Y	N	2.3	PI88788
Prairie Brand	PB-1822R2	1.8	Y	N	2.2	PI88788
Prairie Brand	PB-1947R2	1.9	Y	N	3.2	PI88788
Prairie Brand	PB-1956R2	1.9	Y	N	2.1	PI88788
<b>Rainbow Seeds, 1816 Highway 163, Oskaloosa, IA 52577, 800-373-9401</b>						
Rainbow Seeds	4080NR2Y	0.8	Y	N	2.3	PI88788
Rainbow Seeds	4123NR2Y	1.2	Y	N	2.4	PI88788
Rainbow Seeds	4152NR2Y	1.5	Y	N	1.9	PI88788
Rainbow Seeds	4181NR2Y	1.8	Y	N	2.4	PI88788
<b>Sand Seed Service, Inc., 4785 Highway 143 N, Marcus, IA 51035, 712-376-4135, www.sandsofiowa.com</b>						
SANDS OF IOWA	SOI 1517NLL	1.6	N	Y	2.0	PI88788
SANDS OF IOWA	STAR 1741N RR2Y	1.7	Y	N	2.0	PI88788
SANDS OF IOWA	STAR 1821NRR2Y	1.8	Y	N	2.0	PI88788
SANDS OF IOWA	STAR 1974NRR2Y	1.9	Y	N	3.0	PI88788
SANDS OF IOWA	STAR 2013N RR2Y	1.9	Y	N	2.0	PI88788
<b>Schillinger Genetics, 4401 Westown Parkway, Suite 225, West Des Moines, IA 50266, 515-225-6134, www.emergegenetics.com</b>						
eMerge	e1993	1.9	N	N	2.0	PI88788

**Table 1. Soybean cyst nematode-resistant soybean varieties for maturity group 0 and maturity group I (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Stine Seed Company, 22555 Laredo Trail, Adel, IA 50003, 515-677-2605, www.stinseed.com</b>						
Stine	06RE02	0.6	Y	N	3.0	PI88788
Stine	13RF62	1.3	Y	N	2.0	PI88788
Stine	14RF62	1.4	Y	N	2.0	PI88788
Stine	14RD62	1.4	Y	N	2.0	PI88788
Stine	14LF62	1.4	N	Y	2.0	PI88788
Stine	15LD20	1.5	N	Y	3.0	PI88788
Stine	15LF62	1.5	N	Y	2.0	PI88788
Stine	16RF02	1.6	Y	N	3.0	PI88788
Stine	17RF62	1.7	Y	N	2.0	PI88788
Stine	17RF26	1.7	Y	N	2.0	PI88788
Stine	19RF32	1.9	Y	N	5.0	PI88788
Stine	19RA02	1.9	Y	N	3.0	PI88788
Stine	19LF62	1.9	N	Y	2.0	PI88788
<b>Syngenta Seeds, 11055 Wayzata Boulevard, Minnetonka, MN 55305-1526, 612-656-8600, www.sygentaseeds.com</b>						
NK	S06-H5 Brand	0.6	Y	N	1.5	PI88788
NK	S09-K4 Brand	0.9	Y	N	1.5	PI88788
NK	S12-H2 Brand	1.2	Y	N	2.0	PI88788
NK	S15-P1 Brand	1.5	Y	N	1.5	PI88788
NK	S17-B3 Brand	1.7	Y	N	2.5	PI88788
NK	S17-G8 Brand	1.7	Y	N	1.5	PI88788
NK	S18-C2 Brand	1.8	Y	N	1.5	PI88788
NK	S19-Z9 Brand	1.9	Y	N	2.0	PI88788
<b>Wensman Seed Company, 63585 West Highway 10, P.O. Box 190, Wadena, MN 56482, 800-456-4894, www.wensmanseed.com</b>						
Wensman Seed Company	W 3031NR2	0.3	Y	N	1.0	PI88788
Wensman Seed Company	W 3062NR2	0.6	Y	N	1.0	PI88788
Wensman Seed Company	W 3080NR2	0.8	Y	N	1.0	PI88788
Wensman Seed Company	W 3090NR2	0.8	Y	N	2.0	PI88788
Wensman Seed Company	W 3102NR2	1.0	Y	N	2.0	PI88788
Wensman Seed Company	W 3121NR2	1.2	Y	N	1.0	PI88788
Wensman Seed Company	W 3158NR2	1.5	Y	N	1.0	PI88788
Wensman Seed Company	W 3160NR2	1.6	Y	N	2.0	PI88788
Wensman Seed Company	W 3170NR2	1.7	Y	N	1.0	PI88788
Wensman Seed Company	W 3195NR2	1.9	Y	N	2.0	PI88788

**Table 2. Soybean cyst nematode-resistant soybean varieties for maturity group II.**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Albert Lea Seed House, 1414 W. Main, P.O. Box 127, Albert Lea, MN 56007, 800-352-5247, www.alseed.com</b>						
Viking	2000R2N	2.0	Y	N	2.0	PI88788
Viking	2078N	2.0	N	N	2.0	PI88788
Viking	2144R2N	2.1	Y	N	2.4	PI88788
Viking	2301R2N	2.3	Y	N	2.4	PI88788
<b>Champion Seed, 3069 330th Street, Ellsworth, IA 50075, 888-417-2004, www.championseedofiowa.com</b>						
Champion Seed	20R35N	2.0	Y	N	2.0	PI88788
Champion Seed	21R34N	2.1	Y	N	1.5	PI88788
Champion Seed	21R45N	2.1	Y	N	1.5	PI88788
Champion Seed	22R32N	2.2	Y	N	1.0	PI88788
Champion Seed	EQ22R04N	2.2	Y	N	1.5	PI88788
Champion Seed	2253CN	2.2	N	N	1.0	PI88788
Champion Seed	2313NLL	2.3	N	Y	3.0	PI88788
Champion Seed	23R73N	2.3	Y	N	2.0	PI88788
Champion Seed	23R85N	2.3	Y	N	1.5	PI88788
Champion Seed	23T5CN	2.3	N	N	1.0	PI88788
Champion Seed	24L15N	2.4	N	Y	2.0	PI88788
Champion Seed	24R33N	2.4	Y	N	1.0	PI88788
Champion Seed	EQ24R04N	2.4	Y	N	2.0	PI88788
Champion Seed	2513NLL	2.5	N	Y	2.0	PI88788
Champion Seed	2554CN	2.5	N	N	2.0	PI88788
Champion Seed	25R95N	2.5	Y	N	2.0	PI88788
Champion Seed	26R83N	2.6	Y	N	2.5	PI88788
Champion Seed	2753CN	2.7	N	N	1.5	PI88788
Champion Seed	27R65N	2.7	Y	N	2.5	PI88788
Champion Seed	28R35N	2.8	Y	N	1.5	PI88788
Champion Seed	2813NLL	2.8	N	Y	1.5	PI88788
Champion Seed	EQ28R05N	2.8	Y	N	2.0	PI88788
Champion Seed	29R32N	2.9	Y	N	1.5	PI88788
<b>Channel, 800 N. Lindbergh Boulevard, St. Louis, MO 63167, www.channel.com</b>						
Channel	2105R2	2.1	Y	N	2.0	PI88788
Channel	2108R2	2.1	Y	N	2.0	PI88788
Channel	2207R2	2.2	Y	N	2.0	PI88788
Channel	2306R2	2.3	Y	N	2.0	PI88788
Channel	2408R2	2.4	Y	N	2.0	PI88788
Channel	2508R2	2.5	Y	N	2.0	PI88788
Channel	2607R2	2.6	Y	N	2.0	PI88788
Channel	2706R2	2.7	Y	N	2.0	PI88788
Channel	2800R2	2.8	Y	N	2.5	PI88788
Channel	2808R2	2.8	Y	N	2.0	PI88788
Channel	2903R2	2.9	Y	N	2.5	PI88788
Channel	2908R2	2.9	Y	N	2.5	PI88788
<b>Cornelius Seed, 14760 317th Avenue, Bellevue, IA 52031, 563-672-3463, www.corneliusseed.com</b>						
Cornelius	CB20R44	2.0	Y	N	4.0	PI88788
Cornelius	CB21R24	2.1	Y	N	5.0	PI88788
Cornelius	CB22R60	2.2	Y	N	4.0	PI88788
Cornelius	CB23R98	2.3	Y	N	3.0	PI88788
Cornelius	CB25R78	2.5	Y	N	4.0	PI88788
Cornelius	CB27R83	2.7	Y	N	3.0	PI88788
Cornelius	CB28R58	2.8	Y	N	4.0	PI88788

**Table 2. Soybean cyst nematode-resistant soybean varieties for maturity group II (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>CROPLAN by WinField™, 1080 Country Road F West, Shoreview, MN 55126, 651-494-5208, www.croplan.com</b>						
CROPLAN®	R2C2072	2.0	Y	N	3.0	PI88788
CROPLAN®	LC2082	2.0	N	Y	2.0	PI88788
CROPLAN®	R2C2120	2.1	Y	N	2.0	PI88788
CROPLAN®	R2C2124	2.1	Y	N	2.5	PI88788
CROPLAN®	R2C2200	2.1	Y	N	3.0	PI88788
CROPLAN®	R2C2263	2.2	Y	N	3.0	PI88788
CROPLAN®	R2C2394	2.3	Y	N	3.0	PI88788
CROPLAN®	R2C2444	2.4	Y	N	3.0	PI88788
CROPLAN®	R2C2450	2.4	Y	N	3.0	PI88788
CROPLAN®	R2C2674	2.6	Y	N	2.0	PI88788
CROPLAN®	R2C2810	2.8	Y	N	2.0	PI88788
CROPLAN®	R2C2844	2.8	Y	N	3.0	PI88788
CROPLAN®	R2C2873S	2.8	Y	N	2.0	PI88788
CROPLAN®	R2C2914	2.9	Y	N	2.0	PI88788
CROPLAN®	LC2934	2.9	N	Y	3.0	PI88788
<b>Curry, 701 North Walnut, P.O. Box 517, Elk Point, SD 57025, 888-287-7973, www.curryseed.com</b>						
Curry	1204	2.0	Y	N	4.0	PI88788
Curry	2216	2.1	Y	N	4.0	PI88788
Curry	1225	2.2	Y	N	3.0	PI88788
Curry	1252	2.5	Y	N	4.0	Peking
Curry	1277	2.7	Y	N	3.0	PI88788
Curry	1279	2.7	Y	N	4.0	PI88788
Curry	1289	2.8	Y	N	3.0	PI88788
<b>Dairyland Seed Co., P.O. Box 958, West Bend, WI 53095, 800-236-0163, www.dairylandseed.com</b>						
Dairyland	DSR-2105/R2Y	2.1	Y	N	2.1	PI88788
Dairyland	DSR-2250/R2Y	2.2	Y	N	2.4	PI88788
Dairyland	DSR-2340/R2Y	2.3	Y	N	2.7	PI88788
Dairyland	DSR-2612/R2Y	2.6	Y	N	3.0	PI88788
Dairyland	DSR-2880/R2Y	2.8	Y	N	2.9	PI88788
Dairyland	DSR-2995/R2Y	2.9	Y	N	2.3	PI88788
<b>Davis Seed Co., 20847 Highway J5T, Moravia, IA 52571, 641-724-9090</b>						
DAVIS	4525RR2Y	2.5	Y	N	2.1	PI88788
DAVIS	4326RR2Y	2.6	Y	N	1.9	PI88788
DAVIS	4427RR2Y	2.7	Y	N	2.9	PI88788
DAVIS	4228RR2Y	2.8	Y	N	1.7	PI88788
DAVIS	4428RR2Y	2.8	Y	N	2.2	PI88788
DAVIS	1328LLCN	2.8	N	Y	2.4	PI88788
DAVIS	4528RR2Y	2.8	Y	N	1.8	PI88788
DAVIS	4229RR2Y	2.9	Y	N	2.5	PI88788/Peking
<b>Federal Hybrids, Inc., P.O. Box 17, 209 3rd Street NE, West Bend, IA 50597, 515-887-5888, www.federalhybrids.com</b>						
Federal Hybrids	F205NRR2Y	2.0	Y	N	2.3	PI88788
Federal Hybrids	F215NRR2Y	2.1	Y	N	1.8	PI88788
Federal Hybrids	F224NRR2Y	2.2	Y	N	2.2	PI88788
Federal Hybrids	F235NRR2Y	2.3	Y	N	2.5	PI88788
Federal Hybrids	F245NRR2Y	2.4	Y	N	2.4	PI88788
Federal Hybrids	F255NRR2Y	2.5	Y	N	2.7	PI88788
Federal Hybrids	F285NRR2Y	2.8	Y	N	2.1	PI88788

**Table 2. Soybean cyst nematode-resistant soybean varieties for maturity group II (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Four Star Seed Company, 2929 335th Street, Logan, IA 51546, 712-644-1400, www.4starseed.com</b>						
Four Star Seed Co.	2Y222	2.2	Y	N	2.0	PI88788
Four Star Seed Co.	2Y251	2.5	Y	N	1.8	PI88788
Four Star Seed Co.	2Y260	2.6	Y	N	2.2	PI88788
Four Star Seed Co.	2Y271	2.7	Y	N	2.2	PI88788
Four Star Seed Co.	2Y283	2.8	Y	N	2.1	PI88788
<b>Great Lakes Hybrids, 9915 W M-21 Highway, Ovid, MI 48866, 989-834-2251, www.greatlakeshybrids.com</b>						
Great Lakes Hybrids	2019R2	2.0	Y	N	2.1	PI88788
Great Lakes Hybrids	2039R2	2.0	Y	N	2.0	PI88788
Great Lakes Hybrids	2289R2	2.2	Y	N	2.3	PI88788
Great Lakes Hybrids	2569R2	2.4	Y	N	2.7	PI88788
Great Lakes Hybrids	2469R2	2.4	Y	N	2.0	PI88788
Great Lakes Hybrids	2789R2	2.7	Y	N	2.0	PI88788
Great Lakes Hybrids	2869R2	2.9	Y	N	2.0	PI88788
<b>GROWMARK, Inc., 1701 Towanda Avenue, Bloomington, IL 61702, 309-557-6399, www.fsseed.com</b>						
FS Hisoy®	HS 22A21	2.2	Y	N	2.3	PI88788
FS Hisoy®	HS 23A42	2.3	Y	N	2.0	PI88788
FS Hisoy®	HS 24A42	2.5	Y	N	2.5	PI88788
FS Hisoy®	HS 24A44	2.6	Y	N	2.0	PI88788
FS Hisoy®	HS 25A42	2.6	Y	N	2.0	PI88788
FS Hisoy®	HS 26A32	2.6	Y	N	3.0	PI88788
FS Hisoy®	HS 28A02	2.8	Y	N	3.5	PI88788
FS Hisoy®	HS 28A42	2.8	Y	N	2.0	PI88788
FS Hisoy®	HS 29C42	2.9	N	N	3.0	PI88788
FS Hisoy®	HS 29A42	2.9	Y	N	2.5	PI88788
<b>Hoegemeyer Hybrids, 1755 Hoegemeyer Road, Hooper, NE 68031, 402-720-9385, www.therightseed.com</b>						
Hoegemeyer HPT	2233NRR	2.2	Y	N	2.8	PI88788
Hoegemeyer HPT	LL2316N	2.3	N	Y	2.8	PI88788
Hoegemeyer HPT	2511NRR	2.5	Y	N	3.0	Peking
Hoegemeyer HPT	2860NRR	2.8	Y	N	2.0	PI88788
Hoegemeyer HPT	LL2877N	2.8	N	Y	2.8	PI88788
Hoegemeyer HPT	2993NRR	2.9	Y	N	2.0	PI88788
<b>Iowa State University, Office of Intellectual Property and Technology Transfer, 310 Lab of Mechanics, Ames, IA 50011-2131, 515-294-9442</b>						
ISU	IA2036	2.0	N	N	Not Given	PI88788
ISU	IA2036LF	2.0	N	N	Not Given	PI88788
ISU	IA2068	2.0	N	N	Not Given	PI88788
ISU	IA2039	2.0	N	N	Not Given	PI88788
ISU	IA2101 SCN	2.0	N	N	Not Given	PI88788
ISU	IA2102	2.0	N	N	Not Given	PI88788
ISU	IA2102RA12	2.0	N	N	Not Given	PI88788
<b>Jacobsen Hybrids, 128 9th Street, P.O. Box 379, Lake View, IA 51450, 712-665-2841, www.jacobsenseed.com</b>						
Jacobsen	740NR2	2.0	Y	N	2.5	PI88788
Jacobsen	732NR2	2.2	Y	N	2.5	PI88788
Jacobsen	723NR2	2.3	Y	N	1.5	PI88788
Jacobsen	744NR2	2.4	Y	N	2.5	PI88788
Jacobsen	745NR2	2.5	Y	N	2.0	PI88788
Jacobsen	735NR2	2.5	Y	N	2.5	PI88788
Jacobsen	826NR2	2.6	Y	N	2.0	PI88788
Jacobsen	838NR2	2.7	Y	N	2.3	PI88788
Jacobsen	847NR2	2.8	Y	N	2.2	PI88788
Jacobsen	819NR2	2.9	Y	N	2.0	PI88788

**Table 2. Soybean cyst nematode-resistant soybean varieties for maturity group II (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Kruger Seeds, P.O. Box A, Dike, IA 50624, 800-772-2721, <a href="http://www.kruggerseed.com">www.kruggerseed.com</a></b>						
Kruger	K2-2002	2.0	Y	N	2.5	PI88788
Kruger	K2-2103	2.1	Y	N	3.0	PI88788
Kruger	K2-2201	2.2	Y	N	2.0	PI88788
Kruger	K2-2402	2.4	Y	N	2.0	PI88788
Kruger	K2-2503	2.5	Y	N	2.5	PI88788
Kruger	K2-2704	2.7	Y	N	2.0	PI88788
Kruger	K2-2803	2.8	Y	N	3.0	PI88788
Kruger	K2-2805	2.8	Y	N	2.0	PI88788
Kruger	K2-2905	2.9	Y	N	2.0	Peking
<b>Kussmaul Seed Co., 9020 Highway 18, Mt. Hope, WI 53816, 608-988-4568, <a href="http://www.kussmaulseeds.com">www.kussmaulseeds.com</a></b>						
Kussmaul Seeds	KS-2721RR	2.1	Y	N	2.4	PI88788
Kussmaul Seeds	KS-2823NRR	2.3	Y	N	2.7	PI88788
<b>Latham Hi-Tech Seeds, 131 180th Street, Alexander, IA 50420, 800-798-3258, <a href="http://www.lathamseeds.com">www.lathamseeds.com</a></b>						
LATHAM	L2083L	2.0	N	Y	1.7	PI88788
LATHAM	L2058R2	2.0	Y	N	2.2	PI88788
LATHAM	L2084R2	2.0	Y	N	2.0	PI88788
LATHAM	L21B53R2	2.1	Y	N	1.9	PI88788
LATHAM	L2128R2	2.1	Y	N	1.8	PI88788
LATHAM	L2183R2	2.1	Y	N	1.5	PI88788
LATHAM	L2253R2	2.2	Y	N	2.2	PI88788
LATHAM	L2258L	2.2	N	Y	2.4	PI88788
LATHAM	L2358L	2.3	N	Y	2.1	PI88788
LATHAM	L2384R2	2.3	Y	N	2.1	PI88788
LATHAM	L2448R2	2.4	Y	N	2.4	PI88788
LATHAM	L2558L	2.5	N	Y	2.2	PI88788
LATHAM	L2585R2	2.5	Y	N	2.0	PI88788
LATHAM	L2758R2	2.7	Y	N	1.7	PI88788
LATHAM	L2787L	2.7	N	Y	2.2	PI88788
LATHAM	L2884R2	2.8	Y	N	2.2	PI88788
LATHAM	L2948R2	2.9	Y	N	2.7	PI88788
LATHAM	L2978L	2.9	N	Y	2.6	PI88788
<b>Legend Seeds, 103 Highway 14, DeSmet, SD 57231, 800-678-3346, <a href="http://www.legendseeds.net">www.legendseeds.net</a></b>						
Legend Seeds	LS 20R524N	2.0	Y	N	2.3	PI88788
Legend Seeds	LS 20R20N	2.0	Y	N	2.1	PI88788
Legend Seeds	LS 20R23N	2.0	Y	N	2.5	PI88788
Legend Seeds	LS 2102LLN	2.0	N	Y	1.5	PI88788
Legend Seeds	LS 22R24N	2.2	Y	N	2.2	PI88788
Legend Seeds	LS 23R22N	2.3	Y	N	2.5	PI88788
Legend Seeds	LS 23R524N	2.3	Y	N	2.3	PI88788
Legend Seeds	LS 24R563N	2.4	Y	N	2.4	PI88788
Legend Seeds	LS 24R23N	2.4	Y	N	2.2	PI88788
Legend Seeds	LS 25R21N	2.5	Y	N	1.8	PI88788
Legend Seeds	LS 2512LLN	2.5	N	Y	2.1	PI88788
Legend Seeds	LS 27R21N	2.7	Y	N	1.5	PI88788
Legend Seeds	LS 27R542N	2.7	Y	N	2.2	PI88788
Legend Seeds	LS 28R20N	2.8	Y	N	2.8	PI88788
Legend Seeds	LS 29R562N	2.9	Y	N	2.7	PI88788

**Table 2. Soybean cyst nematode-resistant soybean varieties for maturity group II (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>LG Seeds, 22827 Shissler Road, Elmwood, IL 61529, 800-752-6847, www.lgseeds.com</b>						
LG Seeds	C2020R2	2.0	Y	N	2.2	PI88788
LG Seeds	C2175R2	2.1	Y	N	1.2	PI88788
LG Seeds	C2222R2	2.2	Y	N	1.2	PI88788
LG Seeds	C2259LL	2.2	N	Y	2.3	PI88788
LG Seeds	C2333R2	2.3	Y	N	2.3	PI88788
LG Seeds	C2441R2	2.4	Y	N	2.0	PI88788
LG Seeds	C2534R2	2.5	Y	N	2.0	PI88788
LG Seeds	C2588LL	2.5	N	Y	1.9	PI88788
LG Seeds	C2744R2	2.7	Y	N	2.1	PI88788
LG Seeds	C2770LL	2.7	N	Y	2.2	PI88788
LG Seeds	C2835R2	2.8	Y	N	3.2	PI88788
LG Seeds	C2898LL	2.8	N	Y	1.7	PI88788
LG Seeds	C2916R2	2.9	Y	N	2.3	PI88788
LG Seeds	C2910	2.9	N	N	4.0	PI88788
LG Seeds	C2942	2.9	N	N	2.1	PI88788
<b>Merschman Seeds, Inc., 103 Avenue D, West Point, IA 52656, 800-848-7333, www.merschmansseeds.com</b>						
Merschman Seeds, Inc.	Munsee 1520LL	2.0	N	Y	2.2	PI88788
Merschman Seeds, Inc.	Navaho 1220RR2Y	2.0	Y	N	2.3	PI88788
Merschman Seeds, Inc.	Mohegan 1422RR2	2.2	Y	N	2.3	PI88788
Merschman Seeds, Inc.	Chippewa 1523LL	2.3	N	Y	2.2	PI88788
Merschman Seeds, Inc.	Sauk 1524RR2	2.4	Y	N	2.1	PI88788
Merschman Seeds, Inc.	Apache 1525RR2	2.5	Y	N	2.4	PI88788
Merschman Seeds, Inc.	Comanche 1426LL	2.6	N	Y	2.3	PI88788
Merschman Seeds, Inc.	Mohawk 1427RR2	2.7	Y	N	1.7	PI88788
Merschman Seeds, Inc.	Sioux 1327LL	2.7	N	Y	2.1	PI88788
Merschman Seeds, Inc.	Shawnee 1528RR2	2.8	Y	N	2.2	PI88788
Merschman Seeds, Inc.	Cherokee 1429RR2	2.9	Y	N	2.2	PI88788
<b>Monsanto Company, 800 N. Lindbergh Boulevard, St. Louis, MO 63167, www.ASGROW.com or www.monsanto.com</b>						
Asgrow	AG2031	2.0	Y	N	3.0	PI88788
Asgrow	AG2035	2.0	Y	N	2.0	PI88788
Asgrow	AG2134	2.1	Y	N	2.0	PI88788
Asgrow	AG2232	2.2	Y	N	3.0	PI88788
Asgrow	AG2433	2.4	Y	N	2.0	PI88788
Asgrow	AG2535	2.5	Y	N	2.0	PI88788
Asgrow	AG2632	2.6	Y	N	2.0	PI88788
Asgrow	AG2733	2.7	Y	N	2.0	PI88788
Asgrow	AG2735	2.7	Y	N	2.0	PI88788
Asgrow	AG2834	2.8	Y	N	3.0	PI88788
Asgrow	AG2835	2.8	Y	N	2.0	PI88788
Asgrow	AG2933	2.9	Y	N	3.0	PI88788
Asgrow	AG2935	2.9	Y	N	3.0	PI88788
<b>Munson Hybrids, Inc., 1262 Knox Road 100 E, Galesburg, IL 61401, 309-343-8410, www.munsonhybrids.com</b>						
Munson Hybrids, Inc.	8225R2Y	2.2	Y	N	2.3	PI88788
Munson Hybrids, Inc.	8245R2Y	2.4	Y	N	2.3	PI88788
Munson Hybrids, Inc.	8284R2Y	2.8	Y	N	2.2	PI88788
Munson Hybrids, Inc.	8288	2.8	N	N	Not Given	PI88788

**Table 2. Soybean cyst nematode-resistant soybean varieties for maturity group II (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Mycogen Seeds, 9330 Zionsville Road, Indianapolis, IN 46268, 800-692-6436, www.mycogen.com</b>						
Mycogen	5N206R2	2.0	Y	N	2.0	PI88788
Mycogen	5N223R2	2.2	Y	N	2.0	PI88788
Mycogen	5N244R2	2.4	Y	N	3.0	PI88788
Mycogen	5N256R2	2.5	Y	N	3.0	PI88788
Mycogen	5N263R2	2.6	Y	N	3.0	PI88788
Mycogen	5N275R2	2.7	Y	N	3.0	PI88788
Mycogen	5N284R2	2.8	Y	N	3.0	PI88788
Mycogen	5N286R2	2.8	Y	N	2.0	PI88788
Mycogen	5N292R2	2.9	Y	N	3.0	PI88788
<b>NorthStar Genetics, 217 Main Street, Wanamingo, MN 55983, 507-824-2878, www.northstargenetics.com</b>						
NorthStar Genetics	NS 2050NR2	2.0	Y	N	2.2	PI88788
NorthStar Genetics	NS 2077NR2	2.0	Y	N	2.2	PI88788
NorthStar Genetics	NS 2199NR2	2.1	Y	N	2.5	PI88788
NorthStar Genetics	NS 2377NR2	2.3	Y	N	1.7	PI88788
<b>NuTech Seed LLC, 2321 North Loop Drive, Suite 230, Ames, IA 50010, 800-942-6748, www.yieldleader.com</b>						
NuTech/G2 Genetics	7208	2.0	Y	N	3.0	PI88788
NuTech/G2 Genetics	7213	2.1	Y	N	2.5	PI88788
NuTech	3223L	2.2	N	Y	3.0	PI88788
NuTech/G2 Genetics	7230	2.3	Y	N	4.0	PI88788
NuTech/G2 Genetics	7240	2.4	Y	N	2.0	Peking
NuTech	3243L	2.4	N	Y	2.5	PI88788
NuTech/G2 Genetics	7250	2.5	Y	N	3.0	Peking
NuTech/G2 Genetics	7261	2.6	Y	N	2.5	PI88788
NuTech	3248L	2.6	N	Y	3.0	PI88788
NuTech/G2 Genetics	7273	2.7	Y	N	2.5	PI88788
NuTech	3273L	2.7	N	Y	2.5	PI88788
NuTech/G2 Genetics	7286	2.8	Y	N	3.5	PI88788
NuTech/G2 Genetics	7290	2.9	Y	N	2.5	PI88788
<b>Pfister Seeds LLC, 201 Knollwood, Suite A, Champaign, IL 61820, 800-647-3478, www.pfisterseeds.com</b>						
Pfister	20R23	2.0	Y	N	4.0	PI88788
Pfister	22R20	2.2	Y	N	3.5	PI88788
Pfister	24R22	2.4	Y	N	3.0	PI88788
Pfister	26R29	2.6	Y	N	2.5	PI88788
Pfister	28R21	2.8	Y	N	3.0	PI88788
Pfister	29R25	2.9	Y	N	4.0	PI88788

**Table 2. Soybean cyst nematode-resistant soybean varieties for maturity group II (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Pioneer Hi-Bred, 9131 Northpark Drive, Johnston, IA 50131, <a href="http://www.pioneer.com">www.pioneer.com</a></b>						
Pioneer	92Y11	2.1	Y	N	Not Given	Peking
Pioneer	P21T97R	2.1	Y	N	Not Given	PI88788
Pioneer	92Y21	2.2	N	N	Not Given	PI88788
Pioneer	92Y22	2.2	Y	N	Not Given	PI88788
Pioneer	P22T69R	2.2	Y	N	Not Given	Peking
Pioneer	92Y32	2.3	Y	N	Not Given	PI88788
Pioneer	P24T19R	2.4	Y	N	Not Given	PI88788
Pioneer	92Y51	2.5	Y	N	Not Given	PI88788
Pioneer	92Y53	2.5	Y	N	Not Given	Peking
Pioneer	P25T51R	2.5	Y	N	Not Given	PI88788
Pioneer	92Y60	2.6	Y	N	Not Given	PI88788
Pioneer	92Y73	2.7	Y	N	Not Given	PI88788
Pioneer	92Y74	2.7	Y	N	Not Given	PI88788
Pioneer	92Y75	2.7	Y	N	Not Given	PI88788
Pioneer	92Y80	2.8	Y	N	Not Given	PI88788
Pioneer	92Y83	2.8	Y	N	Not Given	PI88788
Pioneer	P28T33R	2.8	Y	N	Not Given	PI88788
Pioneer	P29T98R	2.9	Y	N	Not Given	PI88788
<b>Prairie Brand Seed, 11261 U.S. Highway 69, Story City, IA 50248, 515-733-2101, <a href="http://www.prairiebrandseed.com">www.prairiebrandseed.com</a></b>						
Prairie Brand	PB-2024R2	2.0	Y	N	2.2	PI88788
Prairie Brand	PB-2033R2	2.0	Y	N	1.8	PI88788
Prairie Brand	PB-2188R2	2.1	Y	N	2.2	PI88788
Prairie Brand	PB-2198R2	2.1	Y	N	2.3	Peking
Prairie Brand	PB-2230R2	2.1	Y	N	2.2	PI88788
Prairie Brand	PB-2319R2	2.3	Y	N	2.8	PI88788
Prairie Brand	PB-2484R2	2.4	Y	N	2.1	PI88788
Prairie Brand	PB-2556R2	2.5	Y	N	2.9	PI88788
Prairie Brand	PB-2600R2	2.6	Y	N	2.1	PI88788
Prairie Brand	PB-2626R2	2.6	Y	N	3.2	PI88788
Prairie Brand	PB-2668R2	2.6	Y	N	2.6	PI88788
Prairie Brand	PB-2743R2	2.7	Y	N	3.2	PI88788
Prairie Brand	PB-2757R2	2.7	Y	N	1.9	PI88788
Prairie Brand	PB-2788R2	2.7	Y	N	2.3	PI88788
Prairie Brand	PB-2903R2	2.9	Y	N	2.6	PI88788
Prairie Brand	PB-2997R2	2.9	Y	N	2.2	PI88788
<b>Rainbow Seeds, 1816 Highway 163, Oskaloosa, IA 52577, 800-373-9401</b>						
Rainbow Seeds	4204NR2Y	2.0	Y	N	2.7	PI88788
Rainbow Seeds	4220NR2Y	2.2	Y	N	2.3	PI88788
Rainbow Seeds	4245NR2Y	2.4	Y	N	1.5	PI88788
Rainbow Seeds	4253NR2Y	2.5	Y	N	1.8	PI88788
Rainbow Seeds	4264NR2Y	2.6	Y	N	2.1	PI88788
Rainbow Seeds	4271NRR	2.7	Y	N	1.8	PI88788
Rainbow Seeds	4275NR2Y	2.7	Y	N	3.0	PI88788
Rainbow Seeds	4281NLL	2.8	N	Y	1.8	PI88788
Rainbow Seeds	4282NR2Y	2.8	Y	N	2.2	PI88788
Rainbow Seeds	4285NR2Y	2.8	Y	N	2.5	PI88788
Rainbow Seeds	4290NR2Y	2.9	Y	N	2.6	Peking/PI88788
Rainbow Seeds	4292NRR	2.9	Y	N	1.9	PI88788

**Table 2. Soybean cyst nematode-resistant soybean varieties for maturity group II (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Sand Seed Service, Inc., 4785 Highway 143 N, Marcus, IA 51035, 712-376-4135, www.sandsofiowa.com</b>						
SANDS OF IOWA	SOI 2067N LL	2.0	N	Y	1.5	PI88788
SANDS OF IOWA	STAR 2135N RR2Y	2.1	Y	N	1.5	PI88788
SANDS OF IOWA	SOI 2261N LL	2.2	N	Y	2.5	PI88788
SANDS OF IOWA	STAR 2208N RR2Y	2.2	Y	N	2.0	PI88788
SANDS OF IOWA	STAR 2486N RR2Y	2.4	Y	N	2.5	PI88788
SANDS OF IOWA	SOI 2594N LL	2.5	N	Y	2.0	PI88788
SANDS OF IOWA	STAR 2615N RR2Y	2.6	Y	N	2.0	PI88788
SANDS OF IOWA	STAR 2804N RR2Y	2.7	Y	N	2.0	PI88788
SANDS OF IOWA	STAR 2894N RR2Y	2.8	Y	N	2.0	PI88788
<b>Schillinger Genetics, 4401 Westown Parkway, Suite 225, West Des Moines, IA 50266, 515-225-6134, www.emergegenetics.com</b>						
eMerge	e2062	2.0	N	N	2.0	PI88788
eMerge	e2162	2.1	N	N	2.2	PI88788
eMerge	e2282	2.2	N	N	2.1	PI88788
eMerge	e2692	2.6	N	N	2.2	PI88788
eMerge	e2782	2.7	N	N	2.3	PI88788
eMerge	e2993	2.9	N	N	3.1	PI88788
<b>Stine Seed Company, 22555 Laredo Trail, Adel, IA 50003, 515-677-2605, www.stineseed.com</b>						
Stine	20RF23	2.0	Y	N	3.0	PI88788
Stine	20RD20	2.0	Y	N	3.0	PI88788
Stine	22RD00	2.2	Y	N	3.0	PI88788
Stine	22RF22	2.2	Y	N	2.0	Peking
Stine	24RF02	2.4	Y	N	3.0	PI88788
Stine	24LD00	2.4	N	Y	3.0	PI88788
Stine	25RF02	2.5	Y	N	3.0	PI88788
Stine	26RD02	2.6	Y	N	3.0	PI88788
Stine	27LE32	2.7	N	Y	3.0	PI88788
Stine	28RF02	2.8	Y	N	4.0	PI88788
Stine	28RF23	2.8	Y	N	5.0	PI88788
Stine	28RE20	2.8	Y	N	4.0	PI88788
Stine	28LF32	2.8	N	Y	3.0	PI88788
Stine	29RD22	2.9	Y	N	2.0	PI88788
Stine	29RE22	2.9	Y	N	3.0	PI88788
Stine	29RF32	2.9	Y	N	2.0	PI88788
<b>Syngenta Seeds, 11055 Wayzata Boulevard, Minnetonka, MN 55305-1526, 612-656-8600, www.sygentaseeds.com</b>						
NK	S20-T6 Brand	2.0	Y	N	1.5	PI88788
NK	S22-S1 Brand	2.2	Y	N	2.0	PI88788
NK	S25-E5 Brand	2.5	Y	N	2.5	PI88788
NK	S26-P3 Brand	2.6	Y	N	2.5	PI88788
NK	S27-J7 Brand	2.7	Y	N	1.5	PI88788
NK	S28-A2 Brand	2.8	Y	N	2.5	PI88788
NK	S29-G4 Brand	2.9	Y	N	2.0	PI88788
<b>Wensman Seed Company, 63585 West Highway 10, P.O. Box 190, Wadena, MN 56482, 800-456-4894, www.wensmanseed.com</b>						
Wensman Seed Company	W 3200NR2	2.0	Y	N	2.0	PI88788
Wensman Seed Company	W 3214NR2	2.1	Y	N	1.0	PI88788
Wensman Seed Company	W 3222NR2	2.2	Y	N	2.0	PI88788
Wensman Seed Company	W 3228NR2	2.2	Y	N	2.0	PI88788
Wensman Seed Company	W 3254NR2	2.5	Y	N	2.0	PI88788
Wensman Seed Company	W 3275NR2	2.7	Y	N	2.0	PI88788

**Table 3. Soybean cyst nematode-resistant soybean varieties for maturity group III.**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Champion Seed, 3069 330th Street, Ellsworth, IA 50075, 888-417-2004, www.championseedofiowa.com</b>						
Champion Seed	30R84N	3.0	Y	N	2.5	PI88788
Champion Seed	31R34N	3.1	Y	N	2.5	PI88788
Champion Seed	32L14N	3.2	N	Y	3.0	PI88788
Champion Seed	32R95N	3.2	Y	N	2.5	PI88788
Champion Seed	33R83N	3.3	Y	N	2.0	PI88788
Champion Seed	34R64N	3.4	Y	N	1.5	PI88788
<b>Channel, 800 N. Lindbergh Boulevard, St. Louis, MO 63167, www.channel.com</b>						
Channel	3008R2	3.0	Y	N	3.0	PI88788
Channel	3106R2	3.1	Y	N	2.0	PI88788
Channel	3207R2	3.2	Y	N	2.5	PI88788
Channel	3303R2	3.3	Y	N	2.5	PI88788
Channel	3306R2	3.3	Y	N	2.0	PI88788
Channel	3308R2	3.3	Y	N	3.0	PI88788
Channel	3402R2	3.4	Y	N	2.5	PI88788
Channel	3408R2	3.4	Y	N	3.0	PI88788
Channel	3607R2	3.6	Y	N	2.0	PI88788
Channel	3701R2	3.7	Y	N	Not Given	PI88788
Channel	3707R2/SR	3.7	Y	N	2.5	PI88788
<b>Cornelius Seed, 14760 317th Avenue, Bellevue, IA 52031, 563-672-3463, www.corneliusseed.com</b>						
Cornelius	CB30R15	3.0	Y	N	3.0	PI88788
Cornelius	CB31R64	3.1	Y	N	3.0	PI88788
Cornelius	CB33R43	3.3	Y	N	4.0	PI88788
<b>CROPLAN by WinField™, 1080 Country Road F West, Shoreview, MN 55126, 651-494-5208, www.croplan.com</b>						
CROPLAN®	R2C3000	3.0	Y	N	2.0	PI88788
CROPLAN®	R2C3113	3.1	Y	N	3.0	PI88788
CROPLAN®	LC3233	3.2	N	Y	3.0	PI88788
CROPLAN®	R2C3290	3.2	Y	N	4.0	PI88788
CROPLAN®	R2C3300	3.3	Y	N	3.0	PI88788
CROPLAN®	R2C3461	3.4	Y	N	3.0	PI88788
CROPLAN®	R2C3800	3.8	Y	N	3.0	PI88788
CROPLAN®	R2C3822	3.8	Y	N	3.0	PI88788
CROPLAN®	LC3904	3.9	N	Y	3.0	PI88788
CROPLAN®	R2C3992	3.9	Y	N	4.0	PI88788
CROPLAN®	R2C3984	3.9	Y	N	3.0	PI88788
<b>Curry, 701 North Walnut, P.O. Box 517, Elk Point, SD 57025, 888-287-7973, www.curryseed.com</b>						
Curry	1301	3.0	Y	N	4.0	PI88788
Curry	1311	3.1	Y	N	4.0	PI88788
Curry	1327	3.2	Y	N	4.0	PI88788
Curry	1357	3.5	Y	N	4.0	PI88788
Curry	2363	3.6	Y	N	4.0	PI88788
Curry	1372	3.7	Y	N	4.0	PI88788
Curry	1388	3.8	Y	N	4.0	PI88788

**Table 3. Soybean cyst nematode-resistant soybean varieties for maturity group III (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Davis Seed Co., 20847 Highway J5T, Moravia, IA 52571, 641-724-9090</b>						
DAVIS	4331RR2Y	3.1	Y	N	2.8	PI88788
DAVIS	1432LLCN	3.2	N	Y	2.4	PI88788
DAVIS	4232RR2Y	3.2	Y	N	1.8	PI88788
DAVIS	4334RR2Y	3.4	Y	N	2.3	PI88788
DAVIS	D-344CN	3.4	Y	N	2.8	PI88788
DAVIS	4135RR2Y	3.5	Y	N	3.5	PI88788
DAVIS	1035LLCN	3.5	N	Y	2.3	PI88788
DAVIS	4236RR2Y	3.6	Y	N	2.0	PI88788
DAVIS	4436RR2Y	3.6	Y	N	2.2	PI88788
DAVIS	4336RR2Y	3.6	Y	N	1.7	PI88788
DAVIS	3038RRCNS	3.8	Y	N	2.4	PI88788
DAVIS	4138RR2Y	3.8	Y	N	2.1	PI88788
DAVIS	4339RR2Y	3.9	Y	N	2.5	PI88788
<b>Federal Hybrids, Inc., P.O. Box 17, 209 3rd Street NE, West Bend, IA 50597, 515-887-5888, www.federalhybrids.com</b>						
Federal Hybrids	F314NRR2Y	3.1	Y	N	3.2	PI88788
Federal Hybrids	F343NRR2Y	3.4	Y	N	2.5	PI88788
Federal Hybrids	F354NRR2Y	3.5	Y	N	2.3	PI88788
Federal Hybrids	F364NRR2Y	3.6	Y	N	2.4	PI88788
<b>Four Star Seed Company, 2929 335th Street, Logan, IA 51546, 712-644-1400, www.4starseed.com</b>						
Four Star Seed Co.	2313	3.1	Y	N	2.4	PI88788
Four Star Seed Co.	2Y331	3.3	Y	N	2.2	PI88788
<b>Dairyland Seed Co., P.O. Box 958, West Bend, WI 53095, 800-236-0163, www.dairylandseed.com</b>						
Dairyland	DSR-3019/R2Y	3.0	Y	N	2.8	PI88788
Dairyland	DSR-3216/R2Y	3.2	Y	N	2.3	PI88788
Dairyland	DSR-3232/R2Y	3.4	Y	N	2.4	PI88788
Dairyland	DSR-3595/R2Y	3.5	Y	N	3.0	PI88788
Dairyland	DSR-3703/R2Y	3.7	Y	N	2.9	PI88788
<b>Great Lakes Hybrids, 9915 W M-21 Highway, Ovid, MI 48866, 989-834-2251, www.greatlakeshybrids.com</b>						
Great Lakes Hybrids	3059R2	3.0	Y	N	3.0	PI88788
Great Lakes Hybrids	3159R2	3.1	Y	N	2.4	PI88788
Great Lakes Hybrids	3289R2	3.2	Y	N	2.2	PI88788
Great Lakes Hybrids	3429R2	3.4	Y	N	2.2	PI88788
Great Lakes Hybrids	3659R2	3.6	Y	N	3.0	PI88788
Great Lakes Hybrids	3729R2	3.7	Y	N	2.7	PI88788
<b>Green Valley Seed, LLC, 121 W College, Kahoka, MO 63445, 800-748-7943, www.gvseed.com</b>						
Green Valley Seed	GV344	3.4	Y	N	3.1	PI88788
Green Valley Seed	GV374	3.7	Y	N	2.4	PI88788
Green Valley Seed	GV383	3.8	Y	N	Not Given	PI88788
Green Valley Seed	GV385	3.8	Y	N	Not Given	PI88788
Green Valley Seed	GV395	3.9	Y	N	Not Given	PI88788

**Table 3. Soybean cyst nematode-resistant soybean varieties for maturity group III (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>GROWMARK, Inc., 1701 Towanda Avenue, Bloomington, IL 61702, 309-557-6399, www.fsseed.com</b>						
FS HisOY®	HS 30A42	3.0	Y	N	2.5	PI88788
FS HisOY®	HS 31A32	3.1	Y	N	3.5	PI88788
FS HisOY®	HS 33A32	3.3	Y	N	3.0	PI88788
FS HisOY®	HS 34A22	3.4	Y	N	2.9	PI88788
FS HisOY®	HS 34A42	3.4	Y	N	2.5	PI88788
FS HisOY®	HS 34C90	3.5	N	N	2.5	PI88788
FS HisOY®	HS 36A42	3.6	Y	N	2.5	PI88788
FS HisOY®	HS 37A42	3.7	Y	N	2.5	PI88788
FS HisOY®	HS 37A22	3.7	Y	N	2.5	PI88788
FS HisOY®	HS 38A32	3.8	Y	N	3.0	PI88788
FS HisOY®	HS 38L32	3.8	N	Y	1.5	PI88788
FS HisOY®	HS 39C42	3.9	N	N	3.1	PI88788
FS HisOY®	HS 39A22	3.9	Y	N	Not Given	PI88788
FS HisOY®	HS 39A42	3.9	Y	N	Not Given	PI88788
<b>Hoegemeyer Hybrids, 1755 Hoegemeyer Road, Hooper, NE 68031, 402-720-9385, www.therightseed.com</b>						
Hoegemeyer HPT	3004NRR	3.0	Y	N	3.8	PI88788
Hoegemeyer HPT	3303NRR	3.3	Y	N	3.8	PI88788
Hoegemeyer HPT	LL3455NS	3.4	N	Y	3.8	PI88788
Hoegemeyer HPT	3587NRR	3.5	Y	N	4.0	PI88788
<b>Iowa State University, Office of Intellectual Property and Technology Transfer, 310 Lab of Mechanics, Ames, IA 50011-2131, 515-294-9442</b>						
ISU	IA3014	3.0	N	N	Not Given	PI88788
ISU	IA3015	3.0	N	N	Not Given	PI88788
ISU	IA3005	3.0	N	N	Not Given	PI88788
ISU	IAR3001 Phyto SCN	3.0	N	N	Not Given	PI438489B/PI90363
ISU	IA3048	3.0	N	N	Not Given	PI88788
<b>Jacobsen Hybrids, 128 9th Street, P.O. Box 379, Lake View, IA 51450, 712-665-2841, www.jacobsenseed.com</b>						
Jacobsen	931NR2	3.1	Y	N	3.0	PI88788
Jacobsen	914NR2	3.4	Y	N	2.5	PI88788
Jacobsen	937NR2	3.7	Y	N	2.5	PI88788
<b>Kruger Seeds, P.O. Box A, Dike, IA 50624, 800-772-2721, www.kruggerseed.com</b>						
Kruger	K2-3004	3.0	Y	N	2.0	PI88788
Kruger	K2-3104	3.1	Y	N	2.5	PI88788
Kruger	K2-3204	3.2	Y	N	2.5	PI88788
Kruger	K2-3303	3.3	Y	N	3.5	PI88788
Kruger	K2-3402	3.4	Y	N	2.5	PI88788
Kruger	K2-3502	3.5	Y	N	3.0	PI88788
Kruger	K2-3702	3.7	Y	N	3.0	PI88788
Kruger	K2-3802	3.8	Y	N	3.0	PI88788
Kruger	K2-3803	3.8	Y	N	2.0	PI88788
<b>Latham Hi-Tech Seeds, 131 180th Street, Alexander, IA 50420, 800-798-3258, www.lathamseeds.com</b>						
LATHAM	L3158L	3.1	N	Y	2.1	PI88788
LATHAM	L3184R2	3.1	Y	N	3.2	PI88788
LATHAM	L3248R2	3.2	Y	N	2.8	PI88788

**Table 3. Soybean cyst nematode-resistant soybean varieties for maturity group III (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>LG Seeds, 22827 Shissler Road, Elmwood, IL 61529, 800-752-6847, www.lgseeds.com</b>						
LG Seeds	C3070R2	3.0	Y	N	2.3	PI88788
LG Seeds	C3111R2	3.1	Y	N	2.8	PI88788
LG Seeds	C3114LL	3.1	N	Y	1.7	PI88788
LG Seeds	C3220R2	3.2	Y	N	1.5	PI88788
LG Seeds	C3245R2	3.2	Y	N	2.3	PI88788
LG Seeds	C3344LL	3.3	N	Y	2.4	PI88788
LG Seeds	C3466R2	3.4	Y	N	2.4	PI88788
LG Seeds	C3511LL	3.5	N	Y	2.0	PI88788
LG Seeds	C3554	3.5	N	N	4.1	PI88788
LG Seeds	C3555R2	3.5	Y	N	2.0	PI88788
LG Seeds	C3650R2	3.6	Y	N	2.3	PI88788
LG Seeds	C3707LL	3.7	N	Y	2.4	PI88788
LG Seeds	C3753LL	3.7	N	Y	2.4	PI88788
LG Seeds	C3770R2	3.7	Y	N	2.4	PI88788
LG Seeds	C3848	3.8	N	N	Not Given	PI88788
LG Seeds	C3884N	3.8	N	N	Not Given	PI88788
LG Seeds	C3890R2	3.9	Y	N	2.6	PI88788
LG Seeds	C3904LL	3.9	N	Y	3.5	PI88788
LG Seeds	C3989R2	3.9	Y	N	3.7	PI88788
<b>Merschman Seeds, Inc., 103 Avenue D, West Point, IA 52656, 800-848-7333, www.merschmanseeds.com</b>						
Merschman Seeds, Inc.	Harrison 1530RR2	3.0	Y	N	2.5	PI88788
Merschman Seeds, Inc.	Arthur 1531RR2	3.1	Y	N	2.6	PI88788
Merschman Seeds, Inc.	McKinley 1531LL	3.1	N	Y	2.7	PI88788
Merschman Seeds, Inc.	Coolidge 1532RR2	3.2	Y	N	2.6	PI88788
Merschman Seeds, Inc.	Hoover 1433RR2	3.3	Y	N	3.1	PI88788
Merschman Seeds, Inc.	Adams 1434LL	3.4	N	Y	2.7	PI88788
Merschman Seeds, Inc.	Fillmore 1534LL	3.4	N	Y	2.2	PI88788
Merschman Seeds, Inc.	Hayes 1535RR2	3.5	Y	N	Not Given	PI88788
Merschman Seeds, Inc.	Roosevelt 1535RR2	3.5	Y	N	2.3	PI88788
Merschman Seeds, Inc.	Jackson 1536RR2	3.6	Y	N	2.2	PI88788
Merschman Seeds, Inc.	Jefferson 1436LL	3.6	N	Y	2.3	PI88788
Merschman Seeds, Inc.	Kennedy 1436RR2	3.6	Y	N	2.4	PI88788
Merschman Seeds, Inc.	Monroe 1536LL	3.6	N	Y	2.3	PI88788
Merschman Seeds, Inc.	Eisenhower 1537RR2	3.7	Y	N	2.8	PI88788
Merschman Seeds, Inc.	Grant 1537LL	3.7	N	Y	Not Given	PI88788
Merschman Seeds, Inc.	Truman 1438LL	3.8	N	Y	2.4	PI88788
Merschman Seeds, Inc.	Washington 1438RR2	3.8	Y	N	Not Given	PI88788
Merschman Seeds, Inc.	Garfield 1439RR2	3.9	Y	N	Not Given	PI88788
Merschman Seeds, Inc.	Madison 1539LL	3.9	N	Y	Not Given	PI88788
<b>MFA Incorporated, 201 Ray Young Drive, Columbia, MO 65201, 573-876-5490, www.morsoy.com</b>						
MorSoy	36X63	3.6	Y	N	4.0	PI88788
MorSoy	LL 3759	3.7	N	Y	2.0	PI88788
MorSoy	37X41	3.7	Y	N	2.0	PI88788
MorSoy	38X52	3.8	Y	N	3.0	PI88788
MorSoy	3919	3.9	N	N	3.0	PI88788

**Table 3. Soybean cyst nematode-resistant soybean varieties for maturity group III (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Monsanto Company, 800 N. Lindbergh Boulevard, St. Louis, MO 63167, <a href="http://www.ASGROW.com">www.ASGROW.com</a> or <a href="http://www.monsanto.com">www.monsanto.com</a></b>						
Asgrow	AG3034	3.0	Y	N	2.0	PI88788
Asgrow	AG3135	3.1	Y	N	3.0	PI88788
Asgrow	AG3231	3.2	Y	N	3.0	PI88788
Asgrow	AG3334	3.3	Y	N	2.0	PI88788
Asgrow	AG3432	3.4	Y	N	3.0	PI88788
Asgrow	AG3735	3.7	Y	N	3.0	PI88788
Asgrow	AG3832	3.8	Y	N	3.0	PI88788
Asgrow	AG3833	3.8	Y	N	2.0	PI88788
Asgrow	AG3931	3.9	Y	N	3.0	PI88788
Asgrow	AG3934	3.9	Y	N	3.0	PI88788
<b>Munson Hybrids, Inc., 1262 Knox Road 100 E, Galesburg, IL 61401, 309-343-8410, <a href="http://www.munsonhybrids.com">www.munsonhybrids.com</a></b>						
Munson Hybrids, Inc.	8305R2Y	3.0	Y	N	2.6	PI88788
Munson Hybrids, Inc.	8324R2Y	3.2	Y	N	3.2	PI88788
Munson Hybrids, Inc.	8345R2Y	3.4	Y	N	2.3	PI88788
Munson Hybrids, Inc.	8348	3.4	N	N	Not Given	PI88788
Munson Hybrids, Inc.	8348	3.4	N	N	Not Given	PI88788
Munson Hybrids, Inc.	8364R2Y	3.6	Y	N	3.1	PI88788
Munson Hybrids, Inc.	8388	3.8	N	N	Not Given	PI88788
Munson Hybrids, Inc.	8395R2Y	3.9	Y	N	2.4	PI88788
<b>Mycogen Seeds, 9330 Zionsville Road, Indianapolis, IN 46268, 800-692-6436, <a href="http://www.mycogen.com">www.mycogen.com</a></b>						
Mycogen	5N312R2	3.1	Y	N	3.0	PI88788
Mycogen	5N325R2	3.2	Y	N	2.0	PI88788
Mycogen	5N342R2	3.4	Y	N	3.0	PI88788
Mycogen	5N343R2	3.4	Y	N	2.0	PI88788
Mycogen	5N361R2	3.6	Y	N	3.0	PI88788
Mycogen	5N372R2	3.7	Y	N	3.0	PI88788
Mycogen	5N373R2	3.7	Y	N	4.0	PI88788
Mycogen	5N385R2	3.8	Y	N	Not Given	PI88788
Mycogen	5N386R2	3.8	Y	N	Not Given	PI88788
Mycogen	5N393R2	3.9	Y	N	3.0	PI88788
<b>NuTech Seed LLC, 2321 North Loop Drive, Suite 230, Ames, IA 50010, 800-942-6748, <a href="http://www.yieldleader.com">www.yieldleader.com</a></b>						
NuTech/G2 Genetics	7310	3.1	Y	N	3.5	PI88788
NuTech/G2 Genetics	7323	3.2	Y	N	3.5	PI88788
NuTech	3323L	3.2	N	Y	2.5	PI88788
NuTech/G2 Genetics	7334	3.3	Y	N	2.5	PI88788
NuTech/G2 Genetics	7342	3.4	Y	N	3.5	PI88788
NuTech	3343L	3.4	N	Y	1.5	PI88788
NuTech/G2 Genetics	7360	3.6	Y	N	3.5	PI88788
NuTech/G2 Genetics	7373	3.7	Y	N	3.0	PI88788
NuTech	3372L	3.7	N	Y	3.0	PI88788
NuTech/G2 Genetics	7380	3.8	Y	N	3.5	PI88788
NuTech/G2 Genetics	7390	3.9	Y	N	3.0	PI88788
NuTech/G2 Genetics	7393	3.9	Y	N	3.5	PI88788
NuTech	3393L	3.9	N	Y	3.0	PI88788

**Table 3. Soybean cyst nematode-resistant soybean varieties for maturity group III (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Pfister Seeds LLC, 201 Knollwood, Suite A, Champaign, IL 61820, 800-647-3478, www.pfisterseeds.com</b>						
Pfister	30R25	3.0	Y	N	2.5	PI88788
Pfister	33R28	3.3	Y	N	3.0	PI88788
Pfister	34R20	3.4	Y	N	3.0	PI88788
Pfister	35R25	3.5	Y	N	3.0	PI88788
Pfister	36R29	3.6	Y	N	3.0	PI88788
Pfister	37R23	3.7	Y	N	Not Given	PI88788
Pfister	38R21	3.8	Y	N	2.5	PI88788
Pfister	38R25	3.8	Y	N	Not Given	PI88788
Pfister	38R28	3.8	Y	N	Not Given	PI88788
Pfister	39R29	3.9	Y	N	Not Given	PI88788
<b>Pioneer Hi-Bred, 9131 Northpark Drive, Johnston, IA 50131, www.pioneer.com</b>						
Pioneer	93Y05	3.0	Y	N	Not Given	PI88788
Pioneer	93Y13	3.1	Y	N	Not Given	PI88788
Pioneer	93Y15	3.1	Y	N	Not Given	PI88788
Pioneer	93Y22	3.2	Y	N	Not Given	PI88788
Pioneer	93Y21	3.2	N	N	Not Given	PI88788
Pioneer	P33T89R	3.3	Y	N	Not Given	PI88788
Pioneer	93M42	3.4	Y	N	Not Given	PI88788
Pioneer	93Y40	3.4	Y	N	Not Given	PI88788
Pioneer	93Y41	3.4	N	N	Not Given	PI88788
Pioneer	P35T58R	3.5	Y	N	Not Given	PI88788
Pioneer	93M61	3.6	Y	N	Not Given	PI88788
Pioneer	93Y60	3.6	Y	N	Not Given	PI88788
Pioneer	93Y84	3.8	Y	N	Not Given	PI88788
Pioneer	93Y82	3.8	Y	N	Not Given	PI88788
Pioneer	P39T67R	3.9	Y	N	Not Given	PI88788
<b>Prairie Brand Seed, 11261 U.S. Highway 69, Story City, IA 50248, 515-733-2101, www.prairiebrandseed.com</b>						
Prairie Brand	PB-3124R2	3.1	Y	N	3.2	PI88788
Prairie Brand	PB-3292R2	3.2	Y	N	2.8	PI88788
Prairie Brand	PB-3342R2	3.3	Y	N	3.3	PI88788
Prairie Brand	PB-3352R2	3.3	Y	N	2.5	PI88788
Prairie Brand	PB-3455R2	3.4	Y	N	3.0	PI88788
Prairie Brand	PB-3699R2	3.6	Y	N	2.4	PI88788
Prairie Brand	PB-3849R2	3.8	Y	N	3.2	PI88788
Prairie Brand	PB-3878R2	3.8	Y	N	3.5	PI88788
Prairie Brand	PB-3906R2	3.9	Y	N	3.0	PI88788

**Table 3. Soybean cyst nematode-resistant soybean varieties for maturity group III (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Rainbow Seeds, 1816 Highway 163, Oskaloosa, IA 52577, 800-373-9401</b>						
Rainbow Seeds	4300NR2Y	3.0	Y	N	3.2	PI88788
Rainbow Seeds	4343NR2Y	3.4	Y	N	2.3	PI88788
Rainbow Seeds	4350NR2Y	3.5	Y	N	2.5	PI88788
Rainbow Seeds	4355NLL	3.5	N	Y	2.7	PI88788
Rainbow Seeds	4356NRS	3.5	Y	N	2.3	PI88788
Rainbow Seeds	4360NR2Y	3.6	Y	N	1.8	PI88788
Rainbow Seeds	4363NR2Y	3.6	Y	N	2.4	PI88788
Rainbow Seeds	4365NLL	3.6	N	Y	2.3	PI88788
Rainbow Seeds	4377NLL	3.7	N	Y	2.2	PI88788
Rainbow Seeds	4383NRR	3.8	Y	N	2.3	PI88788
Rainbow Seeds	4387NR2Y	3.8	Y	N	2.6	PI88788
Rainbow Seeds	4396NR2Y	3.9	Y	N	2.5	PI88788
<b>Sand Seed Service, Inc., 4785 Highway 143 N, Marcus, IA 51035, 712-376-4135, www.sandsofiowa.com</b>						
SANDS OF IOWA	STAR 3201N RR2Y	3.2	Y	N	3.0	PI88788
SANDS OF IOWA	STAR 3457NRR2Y	3.4	Y	N	2.5	PI88788
<b>Schillinger Genetics, 4401 Westown Parkway, Suite 225, West Des Moines, IA 50266, 515-225-6134, www.emergegenetics.com</b>						
eMerge	e3192	3.1	N	N	2.5	PI88788
eMerge	348.TCS	3.4	N	N	2.8	PI88788
eMerge	e3494	3.4	N	N	2.2	PI88788
eMerge	e3520S	3.5	N	N	1.8	PI88788
eMerge	e3692S	3.6	N	N	2.3	PI88788
eMerge	e3782S	3.7	N	N	2.5	PI88788
eMerge	389F.YC	3.7	N	N	2.5	PI88788
<b>Syngenta Seeds, 11055 Wayzata Boulevard, Minnetonka, MN 55305-1526, 612-656-8600, www.sygentaseeds.com</b>						
NK	S30-C1 Brand	3.0	Y	N	1.5	PI88788
NK	S30-E9 Brand	3.0	Y	N	2.5	PI88788
NK	S31-R2 Brand	3.1	Y	N	3.0	PI88788
NK	S32-L8 Brand	3.2	Y	N	2.0	PI88788
NK	S34-N3 Brand	3.4	Y	N	2.0	PI88788
NK	S34-Z1 Brand	3.4	Y	N	2.0	PI88788
NK	S35-A5 Brand	3.5	Y	N	1.5	PI88788
NK	S35-C3 Brand	3.5	Y	N	3.0	PI88788
NK	S36-M8 Brand	3.6	Y	N	2.5	PI88788
NK	S38-W4 Brand	3.8	Y	N	3.0	PI88788
NK	S39-T3 Brand	3.9	Y	N	2.0	PI88788
NK	S39-U2 Brand	3.9	Y	N	2.0	PI88788

**Table 3. Soybean cyst nematode-resistant soybean varieties for maturity group III (continued).**

Brand	Variety or Product	Relative Maturity	Glyphosate Resistant (Y or N)	LibertyLink® (Y or N)	Iron Chlorosis Tolerance (1 = best, 5 = worst)	Source of SCN Resistance
<b>Stine Seed Company, 22555 Laredo Trail, Adel, IA 50003, 515-677-2605, www.stineseed.com</b>						
Stine	30RE02	3.0	Y	N	3.0	PI88788
Stine	30RF22	3.0	Y	N	3.0	PI88788
Stine	31RF23	3.1	Y	N	3.0	PI88788
Stine	31RF02	3.1	Y	N	3.0	PI88788
Stine	31RF32	3.1	Y	N	3.0	PI88788
Stine	31LE32	3.1	N	Y	4.0	PI88788
Stine	31LD23	3.1	N	Y	3.0	PI88788
Stine	32RF22	3.2	Y	N	3.0	PI88788
Stine	32RF32	3.2	Y	N	3.0	PI88788
Stine	32RF23	3.2	Y	N	3.0	PI88788
Stine	32RF02	3.2	Y	N	3.0	PI88788
Stine	34RF22	3.4	Y	N	3.0	PI88788
Stine	34LE32	3.4	N	Y	4.0	PI88788
Stine	34LF23	3.4	N	Y	3.0	PI88788
Stine	35RF02	3.5	Y	N	3.0	PI88788
Stine	35RF22	3.5	Y	N	3.0	PI88788
Stine	35LF22	3.5	N	Y	3.0	PI88788
Stine	35LF23	3.5	N	Y	3.0	PI88788
Stine	36RF02	3.6	Y	N	3.0	PI88788
Stine	36LF22	3.6	N	Y	3.0	PI88788
Stine	36LE32	3.6	N	Y	3.0	PI88788
Stine	37RD22	3.7	Y	N	3.0	PI88788
Stine	37RC82	3.7	Y	N	3.0	PI88788
Stine	37LF23	3.7	N	Y	3.0	PI88788
Stine	37LF32	3.7	N	Y	3.0	PI88788
Stine	37LF22	3.7	N	Y	3.0	PI88788
Stine	38RF02	3.8	Y	N	3.0	PI88788
Stine	38RE02	3.8	Y	N	3.0	PI88788
Stine	38LF22	3.8	N	Y	5.0	PI88788
Stine	38LE02	3.8	N	Y	3.0	PI88788
Stine	39LF22	3.9	N	Y	3.0	PI88788
Stine	3923-4	3.9	Y	N	3.0	PI88788
<b>University of Missouri, Soybean Breeding-Waters Hall, Columbia, MO 65211</b>						
	Patriot	3.8	N	N	1.7	PI88788

## Contact Information

**Albert Lea Seed House**, 1414 W. Main, P.O. Box 127,  
Albert Lea, MN 56007, 800-352-5247, [www.alseed.com](http://www.alseed.com)

**Champion Seed**, 3069 330th Street, Ellsworth, IA 50075,  
888-417-2004, [www.championseedofiowa.com](http://www.championseedofiowa.com)

**Channel**, 800 N. Lindbergh Boulevard, St. Louis, MO 63167,  
[www.channel.com](http://www.channel.com)

**Cornelius Seed**, 14760 317th Avenue, Bellevue, IA 52031, 563-  
672-3463, [www.corneliusseed.com](http://www.corneliusseed.com)

**CROPLAN by WinField™**, 1080 Country Road F West,  
Shoreview, MN 55126, 651-494-5208, [www.croplan.com](http://www.croplan.com)

**Curry**, 701 North Walnut, P.O. Box 517, Elk Point, SD 57025,  
888-287-7973, [www.curryseed.com](http://www.curryseed.com)

**Dairyland Seed Co.**, P.O. Box 958, West Bend, WI 53095,  
800-236-0163, [www.dairylandseed.com](http://www.dairylandseed.com)

**Davis Seed Co.**, 20847 Highway J5T, Moravia, IA 52571,  
641-724-9090

**Federal Hybrids, Inc.**, P.O. Box 17, 209 3rd Street NE,  
West Bend, IA 50597, 515-887-5888,  
[www.federalhybrids.com](http://www.federalhybrids.com)

**Four Star Seed Company**, 2929 335th Street, Logan,  
IA 51546, 712-644-1400, [www.4starseed.com](http://www.4starseed.com)

**Great Lakes Hybrids**, 9915 W M-21 Highway, Ovid,  
MI 48866, 989-834-2251, [www.greatlakeshybrids.com](http://www.greatlakeshybrids.com)

**Green Valley Seed, LLC**, 121 W College, Kahoka, MO 63445,  
800-748-7943, [www.gvseed.com](http://www.gvseed.com)

**GROWMARK, Inc.**, 1701 Towanda Avenue, Bloomington,  
IL 61702, 309-557-6399, [www.fsseed.com](http://www.fsseed.com)

**Hoegemeyer Hybrids**, 1755 Hoegemeyer Road, Hooper,  
NE 68031, 402-720-9385, [www.therightseed.com](http://www.therightseed.com)

**Iowa State University**, Office of Intellectual Property and  
Technology Transfer, 310 Lab of Mechanics, Ames,  
IA 50011-2131, 515-294-9442

**Jacobsen Hybrids**, 128 9th Street, P.O. Box 379, Lake View,  
IA 51450, 712-665-2841, [www.jacobsenseed.com](http://www.jacobsenseed.com)

**Kruger Seeds**, P.O. Box A, Dike, IA 50624, 800-772-2721,  
[www.krugerseed.com](http://www.krugerseed.com)

**Kussmaul Seed Co.**, 9020 Highway 18, Mt. Hope, WI 53816,  
608-988-4568, [www.kussmaulseeds.com](http://www.kussmaulseeds.com)

**Latham Hi-Tech Seeds**, 131 180th Street, Alexander,  
IA 50420, 800-798-3258, [www.lathamseeds.com](http://www.lathamseeds.com)

**Legend Seeds**, 103 Highway 14, DeSmet, SD 57231,  
800-678-3346, [www.legendseeds.net](http://www.legendseeds.net)

**LG Seeds**, 22827 Shissler Road, Elmwood, IL 61529,  
800-752-6847, [www.lgseeds.com](http://www.lgseeds.com)

**Merschman Seeds, Inc.**, 103 Avenue D, West Point, IA 52656,  
800-848-7333, [www.merschmanseeds.com](http://www.merschmanseeds.com)

**MFA Incorporated**, 201 Ray Young Drive, Columbia,  
MO 65201, 573-876-5490, [www.morsoy.com](http://www.morsoy.com)

**Monsanto Company**, 800 N. Lindbergh Boulevard, St. Louis,  
MO 63167, [www.ASGROW.com](http://www.ASGROW.com) or [www.monsanto.com](http://www.monsanto.com)

**Munson Hybrids, Inc.**, 1262 Knox Road 100 E, Galesburg,  
IL 61401, 309-343-8410, [www.munsonhybrids.com](http://www.munsonhybrids.com)

**Mycogen Seeds**, 9330 Zionsville Road, Indianapolis, IN 46268,  
800-692-6436, [www.mycogen.com](http://www.mycogen.com)

**NorthStar Genetics**, 217 Main Street, Wanamingo, MN 55983,  
507-824-2878, [www.northstargenetics.com](http://www.northstargenetics.com)

**NuTech Seed LLC**, 2321 North Loop Drive, Suite 230, Ames,  
IA 50010, 800-942-6748, [www.yieldleader.com](http://www.yieldleader.com)

**Pfister Seeds LLC**, 201 Knollwood, Suite A, Champaign,  
IL 61820, 800-647-3478, [www.pfisterseeds.com](http://www.pfisterseeds.com)

**Pioneer Hi-Bred**, 9131 Northpark Drive, Johnston, IA 50131,  
[www.pioneer.com](http://www.pioneer.com)

**Prairie Brand Seed**, 11261 U.S. Highway 69, Story City,  
IA 50248, 515-733-2101, [www.prairiebrandseed.com](http://www.prairiebrandseed.com)

**Rainbow Seeds**, 1816 Highway 163, Oskaloosa, IA 52577,  
800-373-9401

**Sand Seed Service, Inc.**, 4785 Highway 143 N, Marcus,  
IA 51035, 712-376-4135, [www.sandsofiowa.com](http://www.sandsofiowa.com)

**Schillinger Genetics**, 4401 Westown Parkway, Suite 225,  
West Des Moines, IA 50266, 515-225-6134,  
[www.emergegenetics.com](http://www.emergegenetics.com)

**Stine Seed Company**, 22555 Laredo Trail, Adel, IA 50003,  
515-677-2605, [www.stineseed.com](http://www.stineseed.com)

**Syngenta Seeds**, 11055 Wayzata Boulevard, Minnetonka,  
MN 55305-1526, 612-656-8600, [www.syngentaseeds.com](http://www.syngentaseeds.com)

**University of Missouri**, Soybean Breeding-Waters Hall,  
Columbia, MO 65211

**Wensman Seed Company**, 63585 West Highway 10,  
P.O. Box 190, Wadena, MN 56482, 800-456-4894,  
[www.wensmanseed.com](http://www.wensmanseed.com)

# Check out ISU Extension Field Guides for more information.



Available at the Extension Distribution Center

[store.extension.iastate.edu](http://store.extension.iastate.edu)



IOWA STATE UNIVERSITY  
Extension and Outreach

## Disclaimer

The lists in this publication are not complete. Although sincere effort was made to contact all companies offering SCN-resistant soybean varieties for sale in Iowa, numerous companies that were contacted did not respond to our request for information. It is acknowledged that some companies may have been inadvertently overlooked in this effort. However, no company was intentionally excluded. If you represent a soybean seed company and your varieties are not listed, please contact us so that we can correct the omission.

This information has been provided to us by seed companies and has not been verified by Iowa State University. We do not warrant or guarantee the standard of any variety listed. Also, no endorsement is intended of listed varieties, nor is criticism implied of varieties not listed. Neither Iowa State University nor its faculty or staff may be held responsible for damages resulting from the use of this information.

© 2014 Iowa State University of Science and Technology.  
All rights reserved.

Greg Tylka is a professor of plant pathology with extension and research responsibilities in management of plant-parasitic nematodes. Mark P. Mullaney is a research associate in plant pathology with responsibilities for SCN-resistant soybean varieties.

## ... and justice for all

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue SW, Washington, DC 20250-9410, or call 800-795-3272 (voice) or 202-720-6382 (TDD). USDA is an equal opportunity provider and employer.

Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture. Cathann A. Kress, director, Cooperative Extension Service, Iowa State University of Science and Technology, Ames, Iowa.

Funding for this publication was provided by the soybean checkoff through the Iowa Soybean Association and by the Iowa State University Integrated Pest Management Program.